



SOLA™

Advanced Underwater

Photo: Karim Iliya

Carbon Neutral

"The past year has taught us the value of action. It is past time to act on global warming. Light & Motion is moving to action across the business. We are carefully investing in practices that minimize our footprint like building Sola lights right here in the USA, and supporting the dive community where it is advancing ecological education and scientific research," says Daniel Emerson, CEO.



For every Light & Motion dive light sold, we fund the Eden Project to plant 15 trees which more than offsets the total carbon footprint involved in the manufacture of a Sola dive light.



830 million+

trees produced, planted, and protected

249

project sites in nine countries

11,500+

employees empowered with fair wages



Light & Motion is the first equipment manufacturer to become carbon neutral.



Eden Reforestation Projects

PLANT TREES | SAVE LIVES

Mission

To offer the dignity of fair employment to people living in impoverished communities, who become transformational agents of global forest restoration.

Vision

Eden's global restoration network is creating livelihoods for millions of people living in extreme poverty by empowering them to restore and protect forests on a massive scale.



“As a fellow diver who takes every opportunity to dive in the regions where we are planting trees and providing life changing income opportunities for local communities, we are thrilled to partner with Light & Motion as a first step to embracing the whole dive community in our efforts,” says Steve Fitch, CEO of Eden Reforestation Projects.



LIGHT & MOTION

RENEWING OUR COMMITMENT TO YOU

Our Mission

Make beautiful lighting easy and fun.

Our Values

Innovate to delight. Tell the truth. Invest in people to realize their potential.

Our Vision

Use light to elevate creativity and storytelling anywhere, any time.

Our Culture

Embrace group genius. Be the difference that makes a difference.




CA Built Since 1989

Manufacturing is complex and sometimes messy. Building our products under one roof, we see and address issues quickly. No other lighting brand lives with their products like we do. We may make mistakes, but we own them and use them to make us and our products better.




FL-1 STANDARD QUALITY STANDARDS




Certified Lumens

We measure lumen output in real-world testing with finished products, not theoretical values. We are the only brand to publish all our results. See us at wetestlights.com.




Full width half maximum (FWHM)

We measure the FWHM output values of all our lights. The FWHM establishes the beam width at the point the light intensity has dropped to half the maximum value measured in the center of the beam.



Impact resistance [Meters]

Impact resistance is tested by dropping the light onto concrete - a total of six times, one for each side of the light. Our lights are rated for 1 meter drop.



Water resistance [IPX Rating]

We 100% test every light we make to our depth rating for 30 minutes before shipping to you.

“Professional Hybrid

Lighting is the most important part of photography and film-making. My job constantly changes from land to sea and using Light & Motion's hybrid 15,00 lumen lights. They have been a game changer for me. It really helps reduce that amount of gear I need to bring with me on shoots. Their brightness control is perfect for my needs, and their colour temperature is beautiful. I took my strobes off and put them on the shelf and haven't looked back!”

Maxwel Hohn

Photographer & Filmmaker

“

When I travel for on location shoots, I have to pack cameras, dive gear, lights, equipment, and more. Having a single light that can work topside and underwater, a light with exceptional build quality, has made Sola my go-to light for every shoot.



Kristina Sherk

Kristina Sherk Photography | www.kristinasher.com



STELLA PRO[®] AQUATERRA KIT

Powerful Light Anywhere | PROFESSIONAL HYBRID

This kit pairs the power of Light & Motion's Sola Video Pro 15000 with the topside capability of a StellaPro. The perfect kit for content creation in and out of the water. The Video Pro 15,000 features an integrated Li-Ion battery and advanced COB LED array to deliver an incredible 15,000 lumens of light for 40 minutes. Swap the head to get 8,000 lumens of topside flicker free high TLCI light supported by a range of light shaping tools.

KEY FEATURES

- Run completely cord-free up to 965 minutes (on the lowest output setting) from the integrated rechargeable Li-ion battery that can travel checked or carry-on
- StellaPro Clx10 head for topside shooting
- High Output COB 'Chip on Board' LED eliminates the multi-shadow effect typical of panel lights and keeps the light compact
- The standard head delivers 90+ CRI/TLCI and the underwater head delivers 70+ CRI with the option of a 90+ CRI head

SPECIFICATION



| | | |
|----------------------------|-------------------------------|------------|
| MODEL | 15000 | |
| BEAM ANGLE IN WATER | Topside | Underwater |
| LUMEN OUTPUT [MIN] | | |
| High | 10000 [40] | 15000 [40] |
| Med | 6000 [80] | 7500 [65] |
| Low | 500[900] | 500[900] |
| MOUNTS INCLUDED | Ball Mount, Light stand Mount | |
| WEIGHT | 984g | |
| CHARGE TIME | 90 min ↕FC | |



StellaPro Aquaterra Kit
850-0523-A

Topside light shaping tools
- barn doors, dome diffuser,
two different spot optics

FL-1 STANDARDS



SOLA™ PRO AIR KITS

Professional's Choice | Sola Imaging

The Clx10 Pro Air Kit provides an interchangeable light head for the Sola Video Pro 15000. Allowing the system to run above the surface at 10000 lumens for 40 minutes the kit reinvents the capabilities of professional underwater imaging lights. The light head supports all the in air modifier of the Light & Motion Clx professional topside lights and allows the light to run directly off of wall power for extended shoots.

KEY FEATURES

- Lighthead can be swapped onto the 15000 body in seconds
- Certified TLCI94, CRI92, CCT5600 Kelvin
- Integrated variable speed fan with low decibel levels automatically turns on when light output exceeds 5000 lumens
- Works with all Clx modifiers, mounts and external power options
- Runs 40 minutes on high and up to 254 minutes on low without external power
- IP54 rating (Clx10 Pro Air Kit)

SPECIFICATION

| | |
|---------------------------|--------------------------|
| MODEL | CLX10 PRO AIR KIT |
| BEAM ANGLE | 90° |
| LUMEN OUTPUT [MIN] | |
| High | 10000 [40] |
| Med | 6000 [80] |
| Low | 500[900] |
| WEIGHT | 600g |



FL-1 STANDARDS





SPECIFICATION

| MODEL | 1 X 15K KIT (DOME PORT) | 2 X 15K KIT (DOME PORT) | STELLAPRO AQUATERRA KIT | SOLA VIDEO 2500F ACTION KIT DOUBLE |
|--------------------|----------------------------|----------------------------|----------------------------|---------------------------------------|
| BEAM ANGLE | 115° | 115° | 25-120° | 60° |
| LUMEN OUTPUT [MIN] | | | | |
| High | 15000 [40] | 15000 [40] | 15000 [35] | 2500 [50] |
| Med | 7500 [65] | 7500 [65] | 7500 [65] | 625 [100] |
| Low | 500 [900] | 500 [900] | 500 [900] | 250 [200] |
| MOUNTS INCLUDED | Sola Pro Ball Mount | Sola Pro Ball Mount | YS & Sola Pro Ball Mount | Loc-line Mount |
| WEIGHT | 2857g | 5420g | 2585g | 150 min |
| CHARGE TIME | 105 min ↕FC | 105 min ↕FC | 105 min ↕FC | 105 min ↕FC |
| | 850-0462 | 850-0463 | 850-0523 | 850-0312 |



photography & Video

Powerful continuous lights that can replace strobes to make your photo and video more fun to shoot and, more colorful and well defined.

“

The Sola Video Pro 15,000 is spectacular, we need to celebrate the growth of this incredible product. The only thing to improve is to make them run forever.”

Paul Nicklen

Photographer, Film-maker and marine biologist



SOLA™ | VIDEO PRO 15000

Professional's Choice | Sola Imaging

Sola Video Pro 15000 comes from Light & Motion's 30 year pedigree as the leader in underwater imaging design. Powerful 15,000 lumen regulated power provides consistent lighting for content creators. Exclusive dome port provides an impressive 115° flood beam ensuring full lighting coverage even with a fisheye lens. Swappable heads provides wide range of shooting options.

KEY FEATURES

- Regulated output - does not dim during use
- Intuitive magnetic slide control
- Compact travel-friendly
- Fast charging
- 115° flood beam (measured underwater) with dome port designed for wide-angle photo/video
- OLED Dashboard Display for monitoring lumen output, runtime, charge percentage
- Dimming with stepped or continuous control
- Factory sealed body ensures flood-free performance and long-term reliability
- Swappable heads, supports air kit and flat port

SPECIFICATION

| | |
|---------------------------|--------------|
| MODEL | 15000 |
| BEAM ANGLE | 115° |
| LUMEN OUTPUT [MIN] | |
| High | 1500 [35] |
| Med | 7500 [65] |
| Low | 500[900] |
| MOUNTS INCLUDED | Ball Mont |
| WEIGHT | 984g |
| CHARGE TIME | 90 min ↕FC |



15000 FC Dome Port
850-0501



FL-1 STANDARDS



Underwater head Flat Port
800-0362
90 degree in water



Bluewater Dome Port
800-0374
Swappable Blue dome port for color balancing wide angle work



Greenwater Dome Port Cover for Sola Video Pro 15,000
800-0407-A
This filter is recommended for green waters and converts the white video light to green ambient light.

NOTE: Compatible with Sola Video 15,000 built after 8/2020

SOLA™ OTHERS CLAIM, SOLA DELIVERS

Sola Imaging

SOLA DELIVERS MEASURABLY BETTER PERFORMANCE

CHARGES IN LESS THAN 1/2 THE TIME

**36% BRIGHTER
40% WIDER BEAM
50% LIGHTER**

**45% BRIGHTER
15% WIDER BEAM
45% LIGHTER**

**40% BRIGHTER
WIDER BEAM
CHARGES IN 1/3 THE TIME**

**100% BRIGHTER
40% WIDER BEAM
25% FASTER CHARGING**



SOLA VIDEO PRO 15000

\$1,499 | €1,499


VS



KELDAN VIDEO 8X FLUX 18,000

\$2,040 | €1,810

VS



BIG BLUE VIDEO 33000

\$1,599 | €1,590

VS



SOLAR FLARE MAX 10000

\$1,599 | €1,699

VS



SOLAR FLARE 12000

\$950 | €895

VS



BIG BLUE PRO VIDEO 15000P

\$1,100 | €1,195

KEY USE CRITERIA

| | | | | | | |
|---------------------------------------|--------------------|-------------|-----------------------|------------------------|------------------------|-----------------------|
| Lumens Claimed | 15,000 | 18,000 | 33,000 | 10,000 | 12,000 | 15,000 |
| Lumens Measured @ 30min | 15,000 | 18,000 | 11,000 | 10,500 | 10,690 | 7,200 |
| Runtime (min) | 35 | 40 | falls off | 35 | 50 | falls off |
| Beam Angle Water (Measured / Claimed) | 115° / 115° | 110° / 110° | 80° / 160° | 100° / 160° | 100° / 160° | 80° / 160° |
| Charge Time (min) | 90 | 180 - 240 | 120 | 240 | 240 | 120 |
| Weight (gr) | 923 | 880 | 1,965 | 1,724 | 1,060 | 832 |

FEATURES

| | | | | | | |
|---------------------------|---|---|--------------------------|---|---|--------------------------|
| Blue Water Filter | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Field Replaceable Domes | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Integrated Battery Safety | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Digital Display | <input checked="" type="checkbox"/> (Multi) | <input checked="" type="checkbox"/> (2 Digit) | <input type="checkbox"/> | <input checked="" type="checkbox"/> (2 Digit) | <input checked="" type="checkbox"/> (2 Digit) | <input type="checkbox"/> |
| Hybrid Head for Topside | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Learn more at www.wetestlights.com

“

I have visited the factory and saw how Light & Motion lights pass rigorous testing. These products are safe and truthful to their advertised specs. I am a true believer. ”

Jill Heinerth

Author, INTO THE PLANET - My Life as a Cave Diver, Explorer in Residence,
Royal Canadian Geographical Society | www.IntoThePlanet.com



SOLA™ VIDEO PRO 3800 FC

The lightest, smallest, most powerful video light in its class. The Sola Video Pro 3800 features a chip-on-board LED array to create high-quality illumination. The dome port provides a class-leading 110° diffused beam void of hotspots with gentle light fall-off. Exclusive side-indicator dashboard makes it easy to monitor power levels.

KEY FEATURES

- Regulated output ensures light does not dim in use
- 3800 lumen flood output certified to the FL-1 Standard
- 110° flood beam (measured underwater)
- Innovative dome port diffuses beam and provides gentle light fall-off at edges
- Colored Status LED dashboard on both sides of light is easily seen
- Full recharge in 1 hr 45 min with exclusive FC (Fast Charge) technology

SPECIFICATION

| | |
|---------------------------|---------------------|
| MODEL | 3800 |
| BEAM ANGLE | 110° |
| LUMEN OUTPUT [MIN] | |
| High | 3800 [50] |
| Med | 7500 [100] |
| Low | 950 [200] |
| MOUNTS INCLUDED | Sola Pro Ball Mount |
| WEIGHT | 254g |
| CHARGE TIME | *105 min ↕FC |



Sola Video Pro 3800
850-0404



USB-C Adapter
850-0360

*New USB-c dongle lets you charge your Sola FC lights with any laptop USB-c power supply or off batteries with USB-c ports.

FL-1 STANDARDS



3800
LUMENS



100m



50min - 3.3h



110°

SOLA™ VIDEO 3800 FC

Best in class power in an ultra-compact, travel-friendly platform. Chip-on-board LED array delivers high-quality illumination for stunning imagery. The flat port optic provides a 90° beam void of hotspots.

KEY FEATURES

- Regulated output ensures light does not dim in use
- 3800 lumen flood output certified to the FL-1 Standard
- 90° flood beam (measured underwater)
- Custom optics produce a clean beam void of distracting hot spots
- Colored Status LED dashboard for power level management
- Full recharge in 1 hr 45 min with exclusive FC (Fast Charge) technology

SPECIFICATION

| | |
|---------------------------|---------------------|
| MODEL | 3800 |
| BEAM ANGLE | 90° |
| LUMEN OUTPUT [MIN] | |
| High | 3800 [50] |
| Med | 7500 [100] |
| Low | 950 [200] |
| MOUNTS INCLUDED | Sola Pro Ball Mount |
| WEIGHT | 254g |
| CHARGE TIME | *105 min ↕FC |



Sola Video 3800
850-0354



FL-1 STANDARDS



3800
LUMENS



100m



50min - 3.3h



90°



USB-C Adapter
850-0360

*New USB-c dongle lets you charge your Sola FC lights with any laptop USB-c power supply or off batteries with USB-c ports.

SOLA™ VIDEO SPOT FLOOD

The all-in-one solution for wide-angle and macro imagery. The advanced optical design will light your subjects evenly while the 1200 lumen spot has the power to light macro effectively.



Sola Video 2500 S/F
850-0343

Sola Video 2000 S/F
850-0406



KEY FEATURES

- Regulated output ensures light does not dim in use
- Easily toggle between 12° spot and 60° flood beams (in water)
- Custom optics produce a clean beam void of distracting hot spots or harsh edges
- Colored Status LED for battery and mode indication for easy power management
- Factory sealed body ensures flood-free performance and long-term reliability
- Travel-friendly design with minimal weight

SPECIFICATION

| MODEL | 2500 S/F | | 2000 S/F | |
|----------------------------|-------------|-----------|-------------|------------|
| BEAM ANGLE IN WATER | 12° Spot | 60° Flood | 12° Spot | 60° Flood |
| LUMEN OUTPUT [MIN] | | | | |
| High | 1200 [60] | 2500 [50] | 600 [110] | 2000 [55] |
| Med | 600 [120] | 250 [100] | 300 [220] | 1000 [110] |
| Low | 1300 [240] | 625 [200] | 150 [440] | 500 [220] |
| MOUNTS INCLUDED | - | | - | |
| WEIGHT | 254g | | 254g | |
| CHARGE TIME | 105 min ↗FC | | 105 min ↗FC | |

FL-1 STANDARDS



USB-C Adapter
850-0360

*New USB-c dongle lets you charge your Sola FC lights with any laptop USB-c power supply or off batteries with USB-c ports.

SOLA™ VIDEO FLOOD

The Video 2500 is a favorite for compact cameras as a single or dual light set. It delivers the power for video or use in tandem with a strobe.



Sola Video 2500 Flood
850-0420

KEY FEATURES

- 2500 lumen flood output certified to the FL-1 Standard
- Regulated output ensures light does not dim in use;
- 60° flood beam designed for wide-angle
- Custom optics produce a clean beam void of distracting hot spots or harsh edges
- Colored Status LED for battery and mode indication for easy power management
- External wet charge interface means recharging is quick and dependable

SPECIFICATION

| | |
|---------------------------|-------------------|
| MODEL | 2500 FLOOD |
| BEAM ANGLE | 60°f |
| LUMEN OUTPUT [MIN] | |
| High | 2500 [40] |
| Med | 1000 [100] |
| Low | 500 [200] |
| MOUNTS INCLUDED | - |
| WEIGHT | 254g |
| CHARGE TIME | 150 min |



FL-1 STANDARDS



LUMENS



100m



40min - 3.3h



60°



SOLA™ PHOTO 1200

Sola Photo is the most compact and brightest focus light. The Photo 1200 offers 1200 lumens of white light in a 60 degree flood or a powerful 60 degree red flood. Red light helps pull focus when utilizing strobes without alarming critters.

KEY FEATURES

- 1200 lumen white and 300 lumen red output certified to the FL-1 Standard
- Regulated output ensures light does not dim in use;
- Easily toggle between 60° white and red beams
- Custom optics produce a clean beam void of distracting hot spots or harsh edges
- Colored Status LED for battery and mode indication for easy power management
- Factory sealed body ensures flood-free performance and long-term reliability

SPECIFICATION

| | | |
|----------------------------|-------------|-----------------|
| MODEL | 1200 | |
| BEAM ANGLE IN WATER | 60° f | |
| LUMEN OUTPUT [MIN] | | |
| | High | 300 [150 (red)] |
| | Med | 150 [300 (red)] |
| | Low | 75 [600 (red)] |
| MOUNTS INCLUDED | - | |
| WEIGHT | 248g | |
| CHARGE TIME | 150 min | |



Sola Photo 1200
850-0176



FL-1 STANDARDS



SOLA™ NIGHTSEA

Designed in partnership with the world's leading authority on Flouro-diving, Dr Charles Mazel, the Sola NightSea delivers 5 times the excitation to proteins that fluoresce vs UV based lights. Viewed through a yellow filter you will see the psychedelic and brilliantly saturated colors.




Sola Nightsea
850-0213

KEY FEATURES

- 3000mW flood and 1700mW spot] (drop FL1 - does not apply)
- Regulated output ensures light does not dim
- Easily toggle between 12° spot and 60° flood
- Phosphor cover converts blue light to white for navigation and general use (up to 435 lumens of white light)
- External wet charge interface makes charging quick and dependable
- Includes nightsea mask filter to block out blue light and enhance fluorescence

SPECIFICATION

| MODEL | NIGHTSEA | |
|---------------------|---|--------------|
| BEAM ANGLE IN WATER | 12° Spot | 60° flood |
| LUMEN OUTPUT [MIN] | | |
| High | 1700mW[110] | 300mW[110] |
| Med | 850mW [220] | 1500mW [220] |
| Low | 425mW[280] | 75mW[280] |
| INCLUDED | Nightsea Mask Filter, Sola Nightsea Phosphor Filter, Hand Strap | |
| WEIGHT | 256g | |
| CHARGE TIME | 150 min | |



Nightsea Camera Filter
800-0184



The Sola NIGHTSEA light has been a game-changer. The first time I dove with the final product I realized that a barrier had been crossed – the light provided the intensity and beam coverage needed to take photos and videos of fluorescing corals, anemones, fish, and other organisms, in an incredibly compact package.

Dr. Charles Mazel - Principal Research Scientist who pioneers the study of fluorescence
Learn More about Dr Mazel's groundbreaking work at www.nightsea.com



Photo: Shawn Miller

SOLA™ WFRS

Sola WFRS combines a white flood and red spot. The red spot has numerous applications: stealth communication for military ops, the perfect lobstering light – wrist mounted lets you look into crevices without scaring critters.

KEY FEATURES

- 1200 lumen, 60 degree white flood and 400 lumen, 12 degree red spot
- Easily toggle between 60° white flood and 12° red spot beams with one-touch
- Custom optics produce a clean beam void of distracting hot spots or harsh edges
- Colored Status LED for battery and mode indication for easy power management
- Factory sealed body ensures flood-free performance and long-term reliability

SPECIFICATIONS

| MODEL | WFRS | |
|----------------------------|------------|-----------|
| BEAM ANGLE IN WATER | 12° Spot | 60° Flood |
| LUMEN OUTPUT [MIN] | | |
| High | 1200 [70] | 400 [50] |
| Med | 600 [140] | 200 [100] |
| Low | 300[280] | 100 [200] |
| MOUNTS INCLUDED | Hand Strap | |
| WEIGHT | 232g | |
| CHARGE TIME | 150 min | |



Sola WFRS
850-0459

FL-1 STANDARDS



1200
LUMENS



100m



70min -10h



12°s 60°f





As the market leader in ultra compact powerful lights and the inventor of the category, we have never wavered from our commitment to tightly integrating the battery into the lights. The overwhelming reason is safety. Our integrated design gives us the ability to tightly control all aspects of battery charging. Charging stresses the battery, and if not carefully monitored, can lead to critical failures.

We have an impeccable safety record with lithium ion products produced in our California factory since the very first Sola, launched in 2009.

We use premium cells, Japanese (Panasonic) and Korean (LG), because they are market proven and reliable. Less expensive “Chinese cells” are prolific, but battery fires have been so severe in China’s factories that all battery manufacturers were required to relocate out of Shenzhen into areas within Dongguan prefecture.

We design our charge circuit in compliance with charging specifications from Panasonic and LG to ensure all lights charge safely including thermal management and over-current protection. Our premium lights have the charge circuit integrated into the light itself so the battery and charger can never be separated. Our entry price point lights have a custom designed external charger that is keyed to the specific light body. We don’t stop there, all our lights are certified to pass a 1 meter drop on concrete. The drop test ensures that the circuit will not be compromised from impacts.

Additionally we 100% discharge/charge and pressure-tank test each light before shipping out of our facility.

We advise our friends and partners to refrain from selling or using lights with removable lithium ion packs. There is a reason that the IATA, UN protocol and TSA place severe limits on the transport of lithium ion batteries outside of devices. Most commercial warehouse operations severely restrict, and in many cases do not allow the stocking of lithium ion batteries.

Travel, dive, and light with confidence.

[Daniel Emerson](#) - CEO, Light & Motion

Scuba Diving

**The SOLA platform – Ultra compact, reliable,
proven performer.**





“

Compact, robust and the fastest charging on the market- the Sola Dive Pro 2000 is the perfect "do it all" light. It has been tested to extremes as a primary light but fits in the palm of your hand.

Jill Heinerth | Cave explorer and author of "Into The Planet"

SOLA™ DIVE PRO 2000

Designed for dive professionals and technical expeditions, the Dive Pro delivers a penetrating 8 degree spot for exploring and effective signaling even in challenging visibility. The Dive Pro's extended runtime delivers up to 12 hours of light. The fast charging Dive Pro can be charged off remote 12V batteries or from a car outlet or any USB-C power supply with our custom dongle.

KEY FEATURES

- 2000 lumen spot @ 60 minutes
- Extended runtime for technical diving provides 12 hours @ 200 lumens
- Regulated output ensures light does not dim
- Custom optical design concentrates light into a tight 8° spot
- Colored Status LED for battery and mode indication for easy power management
- Factory sealed body ensures flood-free performance and long-term reliability

SPECIFICATION

| | |
|---------------------------|-----------------|
| MODEL | PRO 2000 |
| BEAM ANGLE | 8°f |
| LUMEN OUTPUT [MIN] | |
| High | 2000 [60] |
| Med | 1000 [180] |
| Low | 200 [720] |
| MOUNTS INCLUDED | Hand Strap |
| WEIGHT | 333g |
| CHARGE TIME | *105min †FC |



Sola Dive Pro 2000
850-0428



FL-1 STANDARDS



2000
LUMENS



100m



1-12h



8°



USB-C Adapter
850-0360

*New USB-c dongle lets you charge your Sola FC lights with any laptop USB-c power supply or off batteries with USB-c ports.

SOLA™ DIVE SPOT / FLOOD

The best all around light for serious divers | Sola Dive

Sola Dive (Spot/Flood) owns the ultra-compact dive light category with power, size and reliability. The hands-free mount can easily be removed and replaced with imaging mounts on a camera setup.

KEY FEATURES

- Regulated output ensures light does not dim
- Easily toggle between 12° spot and 60° flood beams
- Custom optics produce a clean beam void of distracting hot spots or harsh edges
- Colored Status LED for battery and mode indication for easy power management
- Factory sealed body ensures flood-free performance and long-term reliability
- Travel-friendly design with minimal weight or bulk



FL-1 STANDARDS

| MODEL | 2500 S/F | | 2000 S/F | | 1200 S/F | |
|--|-------------|-----------|----------------------|------------|--------------------|-----------|
| BEAM ANGLE IN WATER | 12° Spot | 60° Flood | 12° Spot | 60° Flood | 12° Spot | 60° Flood |
| LUMEN OUTPUT [MIN] High Med Low | 1200 [60] | 2500 [50] | 600 [110] | 2000 [55] | 500 [110] | 1200 [70] |
| | 600 [120] | 250 [100] | 300 [220] | 1000 [110] | 250 [220] | 600 [140] |
| | 1300[240] | 625 [200] | 150 [440] | 500 [220] | 125 [440] | 300 [280] |
| MOUNTS INCLUDED | Hand Strap | | Hand Strap | | Hand Strap | |
| WEIGHT | 254g | | 254g | | 254g | |
| CHARGE TIME | 105 min ↑FC | | 1050 min 850-0254 | | 150min 850-0144 | |

• New USB-c dongle lets you charge your Sola FC lights with any laptop USB-c power supply or off remote batteries with USB-c ports.

850-0361



FL-1 STANDARDS



SOLA™ DIVE COMBO KIT

Sola dive

combining the Sola dive as a primary and the GoBe 800 Spot as a secondary light delivers renowned reliability and ultra-powerful illumination. The Sola's versatile spot/flood beam is perfect for any dive condition and the GoBe's compact design and hassle-free external USB charging outshine and outperforms a majority of bulkier torches.

KEY FEATURES

- Sola Dive 2500 S/F / 1200 S/F and GoBe 800 Spot
- Ideal primary and secondary kit
- Easily toggle between 12° spot and 60° flood on Sola
- Custom optics produce a clean beam void of distracting hot spots or harsh edges
- Colored Status LED for battery and mode indication for easy power management
- Factory-sealed body ensures flood-free performance and long-term reliability

SPECIFICATIONS

| MODEL | 2500 COMBO KIT (Sola Dive 2500 S/F + GoBe 800 S) | | 1200 COMBO KIT (Sola Dive 1200 S/F + GoBe 800 S) | |
|----------------------------|--|-----------|--|-----------|
| BEAM ANGLE IN WATER | 12° Spot | 60° Flood | 12° Spot | 60° Flood |
| LUMEN OUTPUT [MIN] | | | | |
| High | 1200 [60] | 2500 [50] | 500 [110] | 1200 [70] |
| Med | 600 [120] | 250 [100] | 250 [220] | 600 [140] |
| Low | 1300[240] | 625 [200] | 125 [440] | 300 [280] |
| MOUNTS INCLUDED | Hand Strap | | Hand Strap | |
| WEIGHT | 254g | | 254g | |
| CHARGE TIME | 105 ↕FC | | 150 min | |

* New USB-c dongle lets you charge your Sola FC lights with any laptop USB-c power supply or off remote batteries with USB-c ports.



Sola 2500 Combo Kit
850-0545



Sola 1200 Combo Kit
850-0546

FL-1 STANDARDS



1200-2500
LUMENS



100m



1- 7.3h



12° 60°



66

Light & Motion offers a great mix of quality products that are well-designed for tough customers like me. After months of difficult field conditions inside icebergs, desert sandstorms and rugged caves I can count on consistent performance.

Jill Heinerth - Author, INTO THE PLANET - My Life as a Cave Diver, Explorer in Residence,
Royal Canadian Geographical Society



FL-1 STANDARDS

| MODEL | 1000 WIDE FC | 800 SPOT FC |
|---------------------|--------------|-------------|
| BEAM ANGLE IN WATER | 60° Flood | 12° Spot |
| LUMEN OUTPUT [MIN] | | |
| High | 1000 [90] | 800 [90] |
| Med | 500 [180] | 400 [180] |
| Low | 250 [720] | 200 [720] |
| Ext. | 125 [1440] | 75 [1440] |
| S.O.S. | 250 [2160] | 100 [2160] |
| WEIGHT | 178g | 178g |
| CHARGE TIME | 180 min ↕FC | 180 min ↕FC |
| | 856-0176 | 850-0691 |

GoBe ANYWHERE

A visionary reinvention of the flashlight, engineered to be the ultimate waterproof light platform. GoBe Anywhere.

FACTORY SEALED

TESTED RELIABILITY



Certified to a depth of 120 meters, GoBe's factory-sealed design offers reliable flood-free performance.

COOLING SYSTEM

AIR AND WATER COOLED



TOP-SIDE CAPABILITY

SMART INDICATORS

BATTERY LIFE

- 100 - 50%
- 50 - 25%
- 25 - 10%
- ☀ 10 - 0%



RECHARGEABLE

EXTERNAL CHARGER PINS



Li-ion battery is rechargeable via external charge contacts - no more hassle of opening your dive light to charge it or change batteries.



Versatile hand held light for adventure

HANDLE

Innovative design allows lighthoods to be interchanged.



● GoBe Body 3.0

INTERCHANGEABLE LIGHTHEADS



1000 Wide (60°)



800 Spot (12°)

MOUNTING VERSATILITY



Hand Strap
804-0276



Bar Mount
804-0186



YS Mount
804-0184




Ball Mount
804-0269



Loc-line Mount
804-0268



Handle Adaptor
800-0172



2023-24

SOLA PRODUCTS

IMAGING



MODELS

PRO15000 PRO3800 3800 2500 S/F 2000 S/F 2500 F PHOTO1200

Runtime (Min)

| | | | | | | | |
|-------|-----|-----|-----|-----------|-----------|-----|--------------|
| High: | 40 | 50 | 50 | 60 / 50 | 110 / 55 | 40 | 70 / 150red |
| Med: | 65 | 100 | 100 | 120 / 100 | 220 / 110 | 100 | 140 / 300red |
| Low: | 900 | 200 | 200 | 240 / 200 | 440 / 220 | 200 | 280 / 600red |

Beam Angle UW (FWHM)

115° 110° 90° 12° / 60° 12° / 60° 60° 60°

Charge Time [hrs]

1:30 ⚡FC 1:45 ⚡FC 1:45 ⚡FC 1:45 2:30 2:30 2:30

DIVE



MODELS

PRO2000 2500 S/F 2000 S/F 1200 S/F NIGHTSEA WFRS

Runtime (Min)

| | | | | | | |
|-------|-----|-----------|-----------|-----------|-----------|-----------|
| High: | 60 | 60 / 50 | 110 / 55 | 110 / 70 | 110 / 70 | 70 / 150 |
| Med: | 180 | 120 / 100 | 220 / 110 | 220 / 140 | 220 / 140 | 140 / 300 |
| Low: | 720 | 240 / 200 | 440 / 220 | 440 / 280 | 440 / 280 | 280 / 600 |

Beam Angle UW (FWHM)

8° 12° / 60° 12° / 60° 12° / 60° 12° / 60° 12° / 60°

Charge Time [hrs]

1:45 ⚡FC 1:45 ⚡FC 2:30 2:30 2:30 2:30

MOUNTS

With 3 different hand mount options and various sizes, find one that is most comfortable for you.



Hand Strap



Pistol Grip



Goodman Handle Adapter

IMAGING MOUNTS

Transform any Sola to fit your needs with our complete line of accessory mounts.



YS Mount



Video Mount



Ball Mount

NIGHTSEA ACCESSORIES

Enhance your Fluoro-diving experience with these Sola Nightsea accessories. They cancel blue light to capture fluorescent imagery.



Nightsea Mask Filter



Nightsea Camera Filter

THE CAMERA TRAY

Maximize underwater imagery with the ultimate camera and light tray setup. Compact travel-friendly design includes video mounts for Sola, GoBe, and Sidekick lights.



EXTERNAL BATTERY KIT

Quickly recharge Sola Fast Charge (FC) lights when a power source is not available. External battery packs are for topside charging only.



49 WHr Kit

FOR SOLA VIDEO PRO 3800 AND SOLA 2500 S/F

